





Nicodo

天津尼可多科技有限公司
Tianjin Nicodo Technology Co., Ltd.

法兰微型轴承



型号	内径 (d)	外径 (D)	法兰外径(D1)		宽度(b)		法兰宽度(c)		基本额定动负荷 Cr(N)	基本额定静负荷 Cor(N)	允许回转数	
			open	zz	open	zz	open	zz			润滑脂	润滑剂
											*1000rpm	
F682zz	2	5	6.1		1.5	2.3	0.5	0.6	169	50	85	100
MF52zz		5	6.2		2	2.5	0.6	0.6	169	50	85	100
F692zz		6	7.5		2.3	3	0.6	0.8	330	99	75	90
MF62zz		6	7.2		2.5	2.5	0.6	-	330	99	75	90
MF72zz		7	8.2		2.8	3	0.6	0.6	386	129	63	75
F602zz		7	8.5		2.8	3.5	0.7	0.9	386	129	60	71
F682Xzz	2.5	6	7.1		1.8	2.6	0.5	0.8	209	74	71	80
F692Xzz		7	8.5		2.5	3.5	0.7	0.9	386	129	63	75
MF82X		8	9.2		2.5	-	0.6	-	558	180	60	67
F602Xzz		8	9.5		2.8	4	0.7	0.9	552	177	60	71
MF63zz	3	6	7.2		2	2.5	0.6	0.6	209	74	71	80
F683zz		7	8.1		2	3	0.5	0.8	311	112	63	75
MF83zz		8	9.2		2.5	3	0.6	-	395	141	60	67
F693zz		8	9.5		3	4	0.7	0.9	558	180	60	67
MF93zz		9	10.2	10.6	2.5	4	0.6	0.8	571	189	56	67
F603zz		9	10.5		3	5	0.7	-	571	189	56	67
F623zz		10	11.5		4	4	1	1	631	219	50	60
MF74zz	4	7	8.2		2	2.5	0.6	0.6	255	108	60	67
MF84zz		8	9.2		2	3	0.6	0.6	395	141	56	67
F684zz		9	10.3		2.5	4	0.6	1	641	227	53	63
MF104zz		10	11.2	11.6	3	4	0.6	0.8	711	272	48	56
F694zz		11	12.5		4	4	1	1	957	350	48	56
F604zz		12	13.5		4	4	1	1	957	350	48	56

天津尼可多科技有限公司

Tianjin Nicodo Technology Co., Ltd.

F: +0086 (22) 5807 0290

W: www.nicodotech.com

天津市河西区南京路39号天津国际贸易中心B座36层3609

3603, floor 36, Tower B, Tianjin International Trade Center, No. 39, Nanjing Road, Hexi District, Tianjin, China



Nicodo

天津尼可多科技有限公司
Tianjin Nicodo Technology Co., Ltd.

F624zz		13	15		5	5	1	1	1301	488	40	48
F634zz		16	18		5	5	1	1	1340	523	36	43
MF85zz	5	8	9.2		2	2.5	0.6	0.6	218	90	53	63
MF95zz		9	10.2		2.5	3	0.6	0.6	431	169	50	60
MF105zz		10	11.2	11.6	3	4	0.6	0.8	431	169	50	60
MF115zz		11	12.5		-	4	0.8	1	716	282	45	53
F685zz		11	12.5		3	5	0.8	1	716	282	45	53
F695zz		13	15		4	4	1	1	1077	432	43	50
F605zz		14	16		5	5	1	1	1329	507	40	50
F625zz		16	18		5	5	1	1	1729	675	36	43
F635zz		19	22		6	6	1.5	1.5	2336	896	32	40
MF106zz		6	10	11.2		2.5	3	0.6	0.6	496	218	45
MF126zz	12		13.2	13.6	3	4	0.6	0.8	716	295	43	50
F686zz	13		15		3.5	5	1	1.1	1082	442	40	50
F696zz	15		17		5	5	1.2	1.2	1340	523	40	45
F606zz	17		19		6	6	1.2	1.2	2263	846	38	45
F626zz	19		22		6	6	1.5	1.5	2336	896	32	40
MF117zz	7	11	12.2		2.5	3	0.6	0.6	455	202	43	50
MF137zz		13	14.2	14.6	3	4	0.6	0.8	541	276	40	48
F687zz		14	16		3.5	5	1	1.1	1173	513	40	50
F697zz		17	19		5	5	1.2	1.2	1605	719	36	43
F607zz		19	22		6	6	1.5	1.5	2336	896	36	43
F627zz		22	25		7	7	1.5	1.5	3287	1379	30	36
MF128zz	8	12	13.2	13.6	2.5	3.5	0.6	0.8	543	274	40	48
MF148zz		14	15.6		3.5	4	0.8	0.8	817	386	38	45
F688zz		16	18		4	5	1	1.1	1252	592	36	43
F698zz		19	22		6	6	1.5	1.5	2237	917	36	43
F608zz		22	25		7	7	1.5	1.5	3293	1379	34	40
F689zz	9	17	19		4	5	1	1.1	1327	668	36	43
F699zz		20	23		6	6	1.5	1.5	2467	1081	34	40
F6700zz	10	15	16.5	16.5	3	4	0.8	0.8	850	430	14	16
F6800zz		19	21		5	5	1	1	1700	800	35	42
F6900zz		22	25		6	6	1.5	1.5	2611	1223	31	40
F6701zz	12	18	19.5	19.5	4	4	0.8	0.8	922	512	12	14
F6801zz		21	23		5	5	0.8	1	1911	1041	33	39
F6901zz		24	26.5		6	6	1	1.5	2831	1411	31	36

天津尼可多科技有限公司

Tianjin Nicodo Technology Co., Ltd.

F: +0086 (22) 5807 0290

W: www.nicodotech.com

天津市河西区南京路39号天津国际贸易中心B座36层3609

3603, floor 36, Tower B, Tianjin International Trade Center, No. 39, Nanjing Road, Hexi District, Tianjin, China



Nicodo

天津尼可多科技有限公司
Tianjin Nicodo Technology Co., Ltd.

带法兰（有挡边）英制微型球轴承型号规格表

型号	内径(d)	外径(D)	法兰外径 (D1)	宽度(b)		法兰宽度(c)		基本额定动 负荷 Cr(N)	基本额定静负 荷 Cor(N)	允许回转数	
				open	zz	open	zz			润滑脂	润滑剂
										*1000rpm	
FR1-4zzs	1.984	6.35	7.518	2.38	3.571	0.584	0.787	284	96	67	80
FR133zz	2.38	4.762	5.944	1.588	2.38	0.457	0.787	144	53	80	95
FR1-5zzs	3.175	7.938	9.119	2.779	3.571	0.584	0.787	552	176	60	71
FR144zzs		6.35	7.518	2.38	2.779	0.584	0.787	284	96	67	80
FR2-5zz		7.938	9.119	2.779	3.571	0.584	0.787	558	180	60	67
FR2-6zzs		9.525	10.719	2.779	3.571	0.584	0.787	640	227	53	63
FR2zz		9.525	11.176	3.967	3.967	0.762	0.762	631	219	56	67
FE155zzs	3.967	7.938	9.119	2.779	3.175	0.584	0.914	359	150	53	63
FR156zzs	4.762	7.938	9.119	2.779	3.175	0.584	0.914	359	150	53	63
FR166zz		9.525	10.719	3.175	3.175	0.584	0.787	709	272	50	60
FR3zz	6.35	12.7	14.351	4.978	4.978	1.067	1.067	1301	488	43	53
FR168zzs		9.525	10.719	3.175	3.175	0.584	0.914	373	172	48	56
FR188zz		12.7	13.894	3.175	4.762	0.584	1.143	1082	442	40	50
FR4zz		15.875	17.526	4.978	4.978	1.067	1.067	1480	621	38	45
FR1810zzs	7.938	12.7	13.894	3.967	3.967	0.787	0.787	542	276	40	48
FR6zz	9.525	22.225	24.613	5.558	7.142	1.57	1.57	3332	1422	32	38

天津尼可多科技有限公司

Tianjin Nicodo Technology Co., Ltd.

F: +0086 (22) 5807 0290

W: www.nicodotech.com

天津市河西区南京路39号天津国际贸易中心B座36层3609

3603, floor 36, Tower B, Tianjin International Trade Center, No. 39, Nanjing Road, Hexi District, Tianjin, China